

# XL

## ADJUVANT

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

### Product Registration Number: PCS No. 92492

An Emulsifiable Concentrate (EC) formulation containing 94 % w/w Fatty Acid Esters.  
A wetting agent for use ONLY with PROCLOVA in NEWLY SOWN LEYS and ESTABLISHED GRASSLAND.

**READ DIRECTIONS FOR USE ON ATTACHED LEAFLET  
SHAKE WELL BEFORE USE  
PROTECT FROM FROST  
FOR PROFESSIONAL USE ONLY**

To avoid risks to human health and the environment, comply with the instructions for use.

#### Authorisation Holder:

Corteva Agriscience UK Limited  
CPC2 Capital Park, Fulbourn, Cambridge,  
CB21 5XE, United Kingdom  
Telephone: +44 1462 457272

**24 Hour Emergency Telephone Number:  
+44 (0) 161 88 41235**

Technical Hotline: +44 800 689 8899,  
e-mail: ukhotline@corteva.com

National Poison Centre (Dublin): 01 8092166

#### Distributed by:

Whelehan Crop Protection  
Suite 12 Bunkilla Plaza,  
Bracetown Business Park  
Clonee, Co Meath, Ireland  
Tel: 01 574 2410

## NET CONTENTS : 500 ML e

## SAFETY PRECAUTIONS

### Operator protection:

WASH CONCENTRATE from skin or eyes immediately.  
WASH HANDS AND EXPOSED SKIN before eating and drinking, and after work.

### Environmental protection:

DO NOT CONTAMINATE WATER with the product or its container. (Do not clean application equipment near surface water/ Avoid contamination via drains from farmyards and roads.)

### Storage and disposal:

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.  
KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.  
RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.  
DO NOT RE USE CONTAINER for any purpose.  
Dispose of contents / container to a licensed hazardous-waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.



### IMPORTANT INFORMATION

FOR USE ONLY AS A PROFESSIONAL WETTING AGENT

Crops	Maximum individual dose	Maximum number of treatments per crop	Latest time of application
Established grassland	0.25 L/ha	1 per calendar year	7 days before grazing
Newly sown leys	0.165 L/ha	1 every 3 years	7 days before grazing

### Other specific restrictions:

XL must be applied in tank mixture with PROCLOVA.  
Follow the statutory conditions of use of PROCLOVA.

**READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.**

PCS No. 92492

277195 2308

Artwork Free area for  
in-house print of  
2D data matrix code

## DIRECTIONS FOR USE

XL must be applied in tank mixture with PROCLOVA for the treatment of broad-leaved weeds in ESTABLISHED GRASSLAND and NEWLY SOWN LEYS.

## CROP SPECIFIC INFORMATION

**NEWLY SOWN LEYS (from 3 true leaves of the grass (BBCH 13) up to 90% ground cover or less than 1 year old).**

### Rate of application

Apply 0.165 litres of XL + 85 grams of PROCLOVA in 200 litres of water per hectare.

**ESTABLISHED GRASSLAND (more than 90% ground cover or more than 1 year old).**

### Rate of application

Apply 0.25 litres of XL + 125 grams of PROCLOVA in 200 litres of water per hectare.

## MIXING

Half fill the spray tank with clean water, start agitation and then add the required amount of PROCLOVA. Continue filling the tank with clean water, add the required amount of XL and maintain agitation during filling to the required volume. Maintain agitation during filling, while spraying and during any stoppages.

Mix up only sufficient spray volume for the area to be treated and use the spray immediately.

## CORTEVA AGRISCIENCE CONDITIONS OF SUPPLY

*All goods supplied by us are of high grade and we believe them to be suitable but, as we cannot exercise control over their storage, handling, mixing or use, or the weather conditions before, during or after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded. No responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.*

**To access the Safety Data Sheet for this product scan the QR code or use the weblink below:**



<https://www.corteva.ie/content/dam/dpagco/corteva/eu/ie/en/files/sds/XL-IRL-SDS.pdf>

Alternatively contact your supplier

# XL

## ADJUVANT

™ © Trademarks of Corteva Agriscience and its affiliated companies.

### Product Registration Number: PCS No. 92492

An Emulsifiable Concentrate (EC) formulation containing 94 % w/w Fatty Acid Esters.  
A wetting agent for use ONLY with PROCLOVA in NEWLY SOWN LEYS and ESTABLISHED GRASSLAND.

### READ DIRECTIONS FOR USE ON ATTACHED LEAFLET

**SHAKE WELL BEFORE USE  
PROTECT FROM FROST  
FOR PROFESSIONAL USE ONLY**

To avoid risks to human health and the environment, comply with the instructions for use.

#### Authorisation Holder:

**Corteva Agriscience UK Limited**  
CPC2 Capital Park, Fulbourn, Cambridge,  
CB21 5XE, United Kingdom  
Telephone: +44 1462 457272

**24 Hour Emergency Telephone Number:**  
**+44 (0) 161 88 41235**

Technical Hotline: +44 800 689 8899,  
e-mail: ukhotline@corteva.com  
National Poison Centre (Dublin): 01 8092166

#### Distributed by:

**Whelehan Crop Protection**  
Suite 12 Bunkilla Plaza,  
Bracetown Business Park  
Clonee, Co Meath, Ireland  
Tel: 01 574 2410

## SAFETY PRECAUTIONS

### Operator protection:

WASH CONCENTRATE from skin or eyes immediately.  
WASH HANDS AND EXPOSED SKIN before eating and drinking, and after work.

### Environmental protection:

DO NOT CONTAMINATE WATER with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

### Storage and disposal:

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.  
KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.  
RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.  
DO NOT RE USE CONTAINER for any purpose.  
Dispose of contents / container to a licensed hazardous-waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

### IMPORTANT INFORMATION

FOR USE ONLY AS A PROFESSIONAL WETTING AGENT

Crops	Maximum individual dose	Maximum number of treatments per crop	Latest time of application
Established grassland	0.25 L/ha	1 per calendar year	7 days before grazing
Newly sown leys	0.165 L/ha	1 every 3 years	7 days before grazing

### Other specific restrictions:

XL must be applied in tank mixture with PROCLOVA.  
Follow the statutory conditions of use of PROCLOVA.

**READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.**

PCS No. 92492

**NET CONTENTS : 500 ML e**