

BROADWAY STAR® TANK-MIX COMPATIBILITY in Spring wheat

PLEASE NOTE THE MAXIMUM DOSE RATE OF BROADWAY STAR IN SPRING WHEAT IS 200G/HA. APPLICATION IS FROM 1ST MARCH ONLY

SPRING WHEAT IS DEFINED AS ANY WHEAT PLANTED AFTER 1ST FEBRUARY REGARDLESS OF VARIETAL BREEDING

PLEASE ENSURE YOU READ THE NOTES SECTION
PLEASE NOTE - ALL TANK MIXING TESTS ARE DONE WITH UK APPROVED PRODUCTS, SOME VARIATIONS MAY OCCUR WITH IRISH APPROVALS.
PLEASE CHECK RATIOS OF ACTIVE INGREDIENTS AND FORMULATION TYPE, AND IF IN DOUBT CONSULT THE MANUFACTURER

| | | | |
|--|--|---------------------------------------|---------------------------|
| Normal = Physically Compatible | (Italics in brackets) = Sprayable with Continuous Agitation | Red on Blue = PHYSICALLY INCOMPATIBLE | RED ON BLUE = CROP INJURY |
| BOLD CAPITALS = Physically & Biologically Compatible | (BOLD ITALICS IN BRACKETS) = Biologically compatible - maintain constant agitation | | |

Herbicides

NO JOINT APPLICATIONS WITH ALS CONTAINING PRODUCTS APPROVED ON SPRING WHEAT

| | | | | | | | |
|-----------|----|-------------|--|------------------|----|--|--|
| AXIAL PRO | SW | DUPLOSAN KV | | PIXXARO + BIOSYL | SW | | |
|-----------|----|-------------|--|------------------|----|--|--|

Fungicides

| | | | | | | | |
|------------------------------|----|--|----|----------------------------------|----|---------------------------------|----|
| ADEXAR + ARIZONA | SW | ARIZONA + ELATUS ERA | SW | BRAVO 500 + ELATUS ERA | SW | BRAVO 500 + OPUS TEAM | SW |
| ADEXAR + BRAVO 500 | SW | ARIZONA + JENTON | SW | BRAVO 500 + ELATUS ERA + TALIOUS | SW | BRAVO 500 + OPUS TEAM + TALIOUS | SW |
| ADEXAR + BRAVO 500 + TALIOUS | SW | ARIZONA + LIBRAX | SW | BRAVO 500 + JENTON | SW | BRAVO 500 + PROSARO* | SW |
| AMISTAR OPTI | SW | ARIZONA + PROSARO | | BRAVO 500 + JENTON + TALIOUS | SW | BRAVO 500 + PROSARO* + TALIOUS | SW |
| AMISTAR OPTI + ARIZONA | SW | AVIATOR 235 XPRO + BRAVO 500 | SW | BRAVO 500 + LIBRAX | SW | ELATUS ERA + TALIOUS | SW |
| AMISTAR OPTI + TALIOUS | SW | AVIATOR 235 XPRO + BRAVO 500 + TALIOUS | SW | BRAVO 500 + LIBRAX + TALIOUS | SW | PRIAXOR | SW |
| ARIZONA + AVIATOR 235 XPRO | SW | BRAVO 500 + BRUTUS | SW | BRAVO 500 + MANTRA | SW | PROLINE 275 | SW |
| ARIZONA + BRUTUS | | BRAVO 500 + BRUTUS + TALIOUS | SW | BRAVO 500 + MANTRA + TALIOUS | SW | | |

Insecticides Don't mix with OP insecticides, as potential crop damage due to a counteraction of the safener, leave at least a 14 day interval

| | | | | | | | |
|--------------------|----|--|--|--|--|--|--|
| HALLMARK WITH ZEON | SW | | | | | | |
|--------------------|----|--|--|--|--|--|--|

Growth Regulators Leave 7 day interval for full rate PGRs. When tank mixing use Broadway Star + adjuvant plus half rate CCC only†

| | | | | | | | |
|---------------------------------|----|--|--|--|--|--|--|
| 3C CHLORMEQUAT 750 (half dose)† | SW | | | | | | |
|---------------------------------|----|--|--|--|--|--|--|

Trace Elements For Liquid fertilisers - leave a three day interval

| | | | | | | | |
|---------------------|--|-------------------|--|--|--|------------------------|--|
| (Bartac 3 L) | | HEADLAND Mn 500 | | Mantrac 500 1 L | | Nutri-Phite PGA | |
| Coptrel 0.5 L | | HEADLAND SUPER 80 | | MANTRAC DF 3 kg | | (Rapitrel 3 L) | |
| (Croplift 5 kg) | | Liquid Mn 15% 3 L | | Master Magnesium + TE + pH modifier Optiphil | | Safe-N 10 L | |
| (Epsa Top + Abacus) | | (Magflo 300 4 L) | | Master Manganese Plus | | SMART ATS | |
| Foliar Potash 10 L | | Magphos K 10 L | | Maxie Boost 5 L | | SMART Magiik Manganese | |
| HEADLAND BORON 15 | | (Mancozin 2 L) | | MaxMan 400 (add trace element first) | | SMART Manganese | |
| (Headland Brock) | | (Mancuflo 2 L) | | Max-phi Manganese | | Stopit 10 L | |
| HEADLAND COPPER | | MANIFOL | | Mensa + Abacus | | Sulphur F3000 10 L | |
| | | | | | | Zintrac 700 1 L | |

COMBINATION MIXES

FUNGICIDES PLUS INSECTICIDES

| | | | | | | | |
|-----------------------------------|----|--|--|--|--|--|--|
| AMISTAR OPTI + HALLMARK WITH ZEON | SW | | | | | | |
|-----------------------------------|----|--|--|--|--|--|--|

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk.

Important Note: Do not use any tank-mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank-mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Technical Hotline on 0800 689 8899.

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, PH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility or Spray able with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

NOTES

Broadway Star should always be used with an approved adjuvant.

* Corteva Agriscience only support compatibilities with Broadway Star and SC/EC formulations of tebuconazole **NOT** the EW formulations as it causes an additive PGR effect and possible crop damage

† Corteva Agriscience only support Broadway Star in a 2-way tank mix with half rate chlormequat due to crop safety issues. An intervals of at least 7 days must be regarded before applying a higher rate of chlormequat or any other PGR.

Do not mix Broadway Star With OPs, MCPA and Dicamba

For products containing MCPA or Dicamba respect a 14 day interval between them and Broadway Star.

Do not harrow or roll within 7 days before or after an application of Broadway Star.

Updates

New tank-mix list

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.

FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL

Corteva Agriscience™, CPC2 Capital Park, Fulbourn, Cambridge, Cambridgeshire, CB21 5XE. Tel: +44 (0) 1462 457272.

*TM Trademark of the Dow Chemical Company ("Dow") or an affiliated company of Dow.

All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

Broadway Star contains florasulam and pyroxulam

Technical Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.co.uk

BROADWAY STAR® TANK-MIX COMPATIBILITY in Winter Wheat, Winter Rye and Triticale

PLEASE ENSURE YOU READ THE NOTES SECTION

PLEASE NOTE - ALL TANK MIXING TESTS ARE DONE WITH UK APPROVED PRODUCTS, SOME VARIATIONS MAY OCCUR WITH IRISH APPROVALS.

PLEASE CHECK RATIOS OF ACTIVE INGREDIENTS AND FORMULATION TYPE, AND IF IN DOUBT CONSULT THE MANUFACTURER

| | | | |
|--|--|---------------------------------------|---------------------------|
| Normal = Physically Compatible | <i>(Italics in brackets) = Sprayable with Continuous Agitation</i> | Red on Blue = PHYSICALLY INCOMPATIBLE | RED ON BLUE = CROP INJURY |
| BOLD CAPITALS = Physically & Biologically Compatible | <i>(BOLD ITALICS IN BRACKETS) = Biologically compatible - maintain constant agitation</i> | | |

| | | | | | | | |
|---|----|------------------------------------|----|----------------------------------|----|------------------------------------|----|
| Herbicides | | | | | | | |
| FOR DEFY READ ACROSS TO CLEANCROP OBEY, NURON, SPINNAKER, TOPSAIL AND WICKET FOR STOMP 400 EC READ ACROSS TO ANTHEM, CLAYMORE, EXIMUS AND MOST MICRO | | | | | | | |
| ALIAS SX | ww | Dicamba products (14 day interval) | ww | LIBERATOR + ZYPAR + BIOSYLØ | ww | SPITFIRE* + TOPIK® +/- ACTIROB B | ww |
| ALLY MAX SX | ww | DUPLOSAN KV | ww | LORATE | ww | SPITFIRE* (0.75 L/ha) | ww |
| ALLY MAX SX + STOMP 400 SC | | DUPLOSAN KV + STOMP 400 SCØ | ww | MCPA (14 day interval) | | STARANE Hi-Load HL | ww |
| ANSWER SX | ww | FINISH SX | ww | MOSAIC SX | ww | STARANE Hi-Load HL + STOMP 400 SCØ | ww |
| AVRO SX | ww | FIREBIRDØ | ww | MOST MICRO + QUIDAMØ | ww | STARANE XL* | ww |
| AXIAL + GARTREL* + ADIGOR | ww | FOX | | MoVonØ | | STARANE XL* + STOMP 400 SC Ø | ww |
| Axial + Adigor | | GALAXY * | ww | ORIENT Ø | | STOMP 400 Ø | ww |
| BACARA (Autumn only)Ø | ww | GARTREL* + TOPIK® +/- ACTIROB B | ww | Parana | | STOMP 400 EC Ø | ww |
| BARTON WG* | ww | GARTREL* | | PENNANT | ww | STOMP 400 EC + TOPIK Ø | ww |
| BIPLAY SX | ww | GF-184* | ww | PicoMax Ø | ww | STOMP 400 EC + TOWER Ø | ww |
| BOXER* | ww | GROPPER SX | ww | PICONA Ø | ww | STOMP 400 EC + ZYPAR + BIOSYLØ | ww |
| CALIBRE SX | ww | HARMONY M SX | ww | PICONA + PIXXARO + BIOSYL Ø | ww | (STOMP AQUA) (add first)Ø | ww |
| CHIMERA SX | ww | HEADLAND POLO (14 day interval) | | PICONA + ZYPAR + BIOSYLØ | ww | STOMP AQUA + ZYPAR + BIOSYLØ | ww |
| Cinder + Activator 90 | | HEADLAND SAXON (14 day interval) | | PicoPro Ø | ww | Sunfire + BiosylØ | |
| (Cinder + Kantor/Spryte Aqua)Ø | | HERBOXONE | ww | PicoStomp Ø | ww | System 50 + Bio SylØ | |
| (Cinder + Kinetic)Ø | | HIKER* | ww | PIXXARO | ww | TAXI | |
| CLEANCROP MONDIAL | ww | HUNTER* | ww | PIXXARO + STOMP 400 SC + BIOSYLØ | ww | THOR | ww |
| CONCERT SX | ww | HURRICANEØ | ww | PIXXARO + STOMP AQUA + BIOSYLØ | ww | TOPIK® | ww |
| CHIMERA SX | ww | HURRICANE + PIXXARO + BIOSYLØ | ww | PRESITE SX | ww | TRATON SX | ww |
| (Crystal + Activator 90)Ø | | HURRICANE + ZYPAR + BIOSYLØ | ww | PROSPECT + STOMP 400 SC | | (Trooper)Ø | |
| CYCLOPS + PIXXARO + BIOSYL | ww | (Ice)Ø | | Quirinus +BiosylØ | | VigonØ | |
| CYCLOPS + ZYPAR + BIOSYL | ww | INKA SX | ww | RATIO SX | ww | XERTON + Biosyl | ww |
| DAKOTA* | ww | JUBILEE SX | ww | REFINE MAX SX | | ZYPAR* | ww |
| DefyØ | | Lantern + BiosylØ | | Seduce | | | |
| Defy + HurricaneØ | | LiberatorØ | | SIMBA SX | | | |
| Defy + LiberatorØ | | LIBERATOR + PIXXARO + BIOSYLØ | ww | SLALOM* | ww | | |

| | | | | | | | |
|-------------------------------------|----|--|----|-----------------------------------|----|---|----|
| Fungicides | | | | | | | |
| Adexar | | BRAVO 500 + ULYSSES + BIO SYL 1% ** | | Ignite | | Quell Flo + Activator 90 | |
| (Imtrex + Osiris P) | | BRUTUS | | JAUNT | ww | Seguris | |
| Agate + Abacus | | CAPALO | ww | JENTON | ww | Skyway 285 Xpro (see Folicur)** | |
| ALTO ELITE | ww | CARAMBA | ww | Kingdom | | Sparticus Xpro (see Folicur)** | |
| AMISTAR | ww | Ceando + Kinetic | | Manitoba | | SWIFT SC | ww |
| AMISTAR OPTI | ww | Cerix | | MANTRA | ww | SWING GOLD | |
| AMISTAR PRO | ww | CHEROKEE | ww | MIRAGE | ww | TALIUS | ww |
| Aviator 235 Xpro | | Chord + Activator 90/Bio Syl/Drill/Torpedo | | NECTAR** | | Talius + Vareon + Activator 90 (Crop Damage)** | |
| Bassoon | | CORBEL | ww | OPERA | ww | TIMPANI** | |
| Boogie Xpro | | CRAFTER** | | OPUS | ww | Toledo (SC formulations only)** | |
| BRAVO 500 | ww | CYFLAMID | ww | OPUS + SWIFT SC | ww | Tracker | |
| BRAVO 500 + FORTRESS | ww | DIAMANT | | OPUS TEAM | ww | Treoris | |
| BRAVO 500 + BRUTUS | | Eclipse | | Pentangle** | | Tucana | |
| BRAVO 500 + FANDANGO | ww | Enterprise | | Phoenix | | Tucana | |
| BRAVO 500 + IGNITE | ww | FANDANGO | ww | Platoon 250 | | Ulysses (SC formulations only)** | |
| Bravo 500 + Mirage | | Flyer | | Prairie + Abacus | | UNIX | ww |
| BRAVO 500 + OPUS | ww | FOLICUR** | | PRIORI XTRA | ww | Vareon + Bio Syl but note crop damage with Vareon** | |
| BRAVO 500 + PROLINE 275 | ww | FOLICUR + BRAVO 500 ** | | PROLINE 275 | ww | Variano Xpro | |
| BRAVO 500 + PROSARO (see Folicur)** | | FORTRESS | ww | PROSARO | | Vertisan | |
| BRAVO 500 + TOLEDO + BIO SYL 1% ** | | GURU | ww | Quell Flo + Bio Syl/Drill/Torpedo | | Vivid | |

| | | | | | | | |
|--|----|------------------|----|-------------------------|--|------------------|----|
| Insecticides Don't mix with OP insecticides, as potential crop damage due to a counteraction of the safener, leave at least a 14 day interval | | | | | | | |
| Contest | | Gandalf | | Markate 50 | | PERMASECT 500 EC | ww |
| (Decis Protech) | | HALLMARK ZEON CS | ww | (Mavrik + Activator 90) | | | |
| FURY 10 EW | ww | Karate 2.5 WG | ww | (Mavrik + Bio Syl) | | | |

| | | | | | | | |
|--|--|---|--|--|--|--------------------------------|--|
| Adjuvants | | | | | | | |
| Abacus -1% of spray vol | | Bio Syl - 1.0 % of spray vol + X-Change | | Intracrop Warrior - 0.5 % of spray vol | | Torpedo II - 0.1% of spray vol | |
| Activator 90 - 0.1% of spray vol | | Buzz - 0.1% of spray vol | | Kantor - 0.15% of spray vol | | Viking - 0.5% of spray vol | |
| Activator 90 - 0.1% of spray vol + X-Change | | Drill - 0.5% of spray vol | | Kinetic / Roller - 50 ml/ha | | | |
| Arma - 0.1% of spray vol | | Headland Fortune - 0.5% of spray vol | | Respond - 0.5% of spray vol | | | |
| Bio Syl - 1.0% of spray vol aka Cogent Procam, | | Headland Diamond - 0.5% of spray vol | | Spartan - 0.1% of spray vol | | | |
| Tonto Frontier, Boost Zantry | | Intracrop Felix - 0.5% of spray vol | | Spryte Aqua - 0.5% of spray vol + X-Change | | | |

| | | | | | | | |
|---|----|--------|--|--------|--|---------|--|
| Growth Regulators Leave 7 day interval for full rate PGRs. When tank mixing use Broadway Star + adjuvant plus half rate CCC only.† | | | | | | | |
| ADJUST (< half dose)† | ww | CANOPY | | METEOR | | TERPAL | |
| 3C CHLORMEQUAT 750 (<half dose)† | ww | CERONE | | MODDUS | | UPGRADE | |

| | | | | | | | |
|---|----|-------------------|----|--|----|-------------------------|--|
| Trace Elements For Liquid fertilisers - leave a three day interval | | | | | | | |
| (Bortrac 3 L) | | HEADLAND Mn 500 | ww | Mantrac 500 1 L | | Nutri-White PGA | |
| Coptrel 0.5 L | | HEADLAND SUPER 80 | ww | MANTRAC DF 3 kg | ww | (Rapitrel 3 L) | |
| (Croplift 5 kg) | | Liquid Mn 15% 3 L | | Maize Boost 5 L | | Safe-N 10 L | |
| (Epsa Top + Abacus) | | (Magflo 300 4 L) | | Master Magnesium + TE + pH modifier Optiphol | | SMART ATS | |
| Foliar Potash 10 L | | Magphos K 10 L | | Master Manganese Plus | | SMART Magliik Manganese | |
| HEADLAND BORON 15 | ww | (Mancozin 2 L) | | MaxMan 400 (add trace element first) | | SMART Manganese | |
| (Headland Brock) | | (Mancuflo 2 L) | | Max-phi Manganese | | Stopit 10 L | |
| HEADLAND COPPER | ww | MANIFOL | ww | Mensa + Abacus | | Sulphur F3000 10 L | |
| | | | | | | Zintrac 700 1 L | |

| | | | | | | | |
|-----------------------------------|----|--|---------------------|-------------------------|----|-----------------------------------|----|
| COMBINATION MIXES | | | | | | | |
| HERBICIDES PLUS FUNGICIDES | | | | | | | |
| Galaxy* + Ceando | | Spitfire* + Ignite + Bravo 500 + Bio Syl | Corteva Agriscience | Stomp 400 SC + FANDANGO | ww | STOMP 400SC + FORTRESS Ø | ww |
| (Liberator + Bravo 500)Ø | | STOMP 400 SC + AMISTAR Ø | ww | Stomp 400 SC + FLEXITY | ww | (Stomp Aqua + Bravo 500) Ø | |
| SPITFIRE* + BRAVO 500 + IGNITE | ww | STOMP 400 SC + AMISTAR OPTI Ø | ww | STOMP 400 SC + OPERA Ø | ww | STOMP AQUA + BRAVO 500 + CEANDO Ø | ww |

| | | | | | | | |
|---------------------|----|---------------------------------------|----|--------------------------|----|--|--|
| SPITFIRE* + CEANDO | ww | STOMP 400 SC + BRAVO 500 Ø | ww | STOMP 400 SC + OPUS Ø | ww | | |
| Spitfire* + Ceando | | STOMP 400 SC + BRAVO 500 + FORTRESS Ø | ww | STOMP 400 SC + UNIX Ø | | | |
| Spitfire* + Diamant | | STOMP 400 SC + CORBEL Ø | ww | STOMP 400SC + FORTRESS Ø | ww | | |

HERBICIDES PLUS INSECTICIDES

| | | | | | | |
|-----------------------------------|----|----------------------------|----|--|--|--|
| STOMP 400 SC + HALLMARK ZEON CS Ø | ww | STOMP 400 SC + TOPPEL 10 Ø | ww | | | |
|-----------------------------------|----|----------------------------|----|--|--|--|

HERBICIDES PLUS TRACE ELEMENTS

| | | | | | | | |
|---------------------------------------|----|------------------------------------|----|---------------------------------|----|--|--|
| Galaxy* + Nutri-Phite PGA | | STOMP 400 SC + HEADLAND BORON 15 Ø | ww | STOMP 400 SC + HEADLAND ZINC | | Zypar* + Headland Manganese 400 + Biosyl | |
| PIXXARO + HEADLAND JETT + BIOSYL | ww | STOMP 400 SC + HEADLAND COPPER Ø | ww | STOMP 400 SC + MANIFOL Ø | ww | | |
| PIXXARO + HEADLAND MANGANESE + BIOSYL | ww | STOMP 400 SC + HEADLAND Mn 500 Ø | ww | STOMP 400 SC + MANTRAC DF 3 kg | ww | | |
| Spitfire* + Nutri-Phite PGA | | STOMP 400 SC + HEADLAND SUPER 80 Ø | ww | Zypar* + Headland Jett + Biosyl | | | |

FUNGICIDES PLUS TRACE ELEMENTS

| | | | | | | | |
|----------------------------|----|-----------------------------------|----|-------------------------------|----|--------------------------------------|----|
| BRAVO 500 + HEADLAND Mn500 | ww | BRAVO 500 + OPUS + HEADLAND Mn500 | ww | BRAVO 500 + HEADLAND SUPER 80 | ww | BRAVO 500 + OPUS + HEADLAND SUPER 80 | ww |
|----------------------------|----|-----------------------------------|----|-------------------------------|----|--------------------------------------|----|

INSECTICIDES PLUS TRACE ELEMENTS

| | | | | | | | |
|-----------------------------------|--|----------------------------------|--|--|--|--|--|
| Hallmark Zeon + Max-phi Manganese | | (Karate 2.5 WG + Headland Brock) | | | | | |
|-----------------------------------|--|----------------------------------|--|--|--|--|--|

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk.
Important Note: Do not use any tank-mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank-mix restrictions apply.
Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Technical Hotline on 0800 689 8899
Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, PH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility or Spray able with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

NOTES

Broadway Star should always be used with an approved adjuvant.

Topik is supported in mix with Broadway Star up to the end of February.

Ø Residual herbicides can be used in mixture or short sequence with Broadway Star, while conditions are favourable for both products to work and weeds are small and actively growing. However, once soil moisture declines to reduce residual activity then a **4 week** interval between the residual herbicide and an application of Broadway Star is recommended to maximise grass weed control and the tank-mix is no longer supported.

* Do not exceed maximum total dose of florasulam within growing season

** Corteva Agriscience only support compatibilities with Broadway Star and SC formulations of tebuconazole **NOT** the EW formulations as it causes an additive PGR effect and possible crop damage

† Corteva Agriscience only support Broadway Star in a 2-way tank mix with half rate chlormequat due to crop safety issues. An intervals of at least **7 days** must be regarded before applying a higher rate of chlormequat or any other PGR.

Do not mix Broadway Star With OPs, MCPA and Dicamba

For products containing MCPA or Dicamba respect a 14 day interval between them and Broadway Star.

Do not harrow or roll within 7 days before or after an application of Broadway Star.

Updates

Products Removed - Absolute, Ally Express,Aria, Bullion, Ductis SX, Exceed SX, Excalibur,,GEX 353, Headland Surefire Gold, Image,Lexus SX, Oklar SX, Oriel SX, Oxytril CM, Primus 25EC, Quantum SX, Staka SX, Triad, Acanto, Acanto Prima, Centaur, Demeo, Ennobe, Excelsior, Flamenco, Landmark, Menara, Olympus SC, Orka, Poraz, Torch, Torch Extra,Dimethoate
26th November 2019 - added Lantern, Tower
22nd January 2020 - changed Toppel 10 to Permasect 500 EC

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.
FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL
Corteva Agriscience™, CPC2 Capital Park, Fulbourn, Cambridge, Cambridgeshire, CB21 5XE. Tel: +44 (0) 1462 457272.

*TM Trademark of the Dow Chemical Company ("Dow") or an affiliated company of Dow.

All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

Broadway Star contains florasulam and pyroxsulam

Technical Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.co.uk